GUI Stands for				
	Graphical user interface	Graphic user interaction	Graphic use of interface	Graphic and Unix Interaction
A cpmponent of window in GUI	Grapment user interace	Grapine user interaction	Grapine ase of interface	Grapine and Chin Interaction
is called	Application	program	widgets	method
Which of the Python module				
used to build GUI?	Graphic	Tkinter	Tkgui	Tkinteraction
A top bar in a window				
containing title of the window is				
called	title bar	status bar	heading	name space
The tkinter widgets button is			create checkbox with only	
used to	create a box to insert text in that.	create a pop-up menu	two option	create clickable button
The tkinter widgets canvas is				
used to		create a frame for inserting buttons and	create an area for drawing or	
	create a frame with manu, ribbon etc.	checkbox	displaying images.	create a container for widgets.
The tkinter widgets checkbutton			amonto hutton with only two	create clickable box that can be
is used to	create a box to insert text int that	create a pop-up menu	create button with only two option to be insert.	selected or unselected,
	create a box to insert text int that	стеме и рор-ир писни	option to be insert.	selected of unselected,
The tkinter widgets Entry is used	create a single line text field that the		create a space for inserting a	create a for writing mulitline
to	user can tpe in.	create a single line display for text.	image.	comments.
	user can tpe iii.	ereate a single line display for text.	mage.	comments.
The tkinter widgets frame is used				
to	create a window for inserting the		create a container for all	create a container for writing
	images or video.	create a container to draw a images.	widgets	mulitline comments.
		Ç		
The tkinter widgets label is used	create a single line text field that the		create a space for inserting a	create a for writng mulitline
to	user can tpe in.	create a single line display for text.	image.	comments.
The thinten widesta listher is				
The tkinter widgets listbox is	create a drop-down list that the user		create many checkboxes	create a list of things used to
used to	can select from.	create many buttons.	together.	create frame.
The tkinter widgets menu				
is	a menu of list opening from left to		a menu of list opening	a menu of list which drop-
	right.	a menu of list opening right to left.	upward.	down,
The tkinter widgets message is				
used			· ·	to create many buttons in one
-	to accept multiline input from user.	to create multiline display for text.	box.	box.
The tkinter widgets menubutton				
is			An item in a drop-down	
	an item in button to be selected.	an item in checkbox to be select.	menu.	an item in Label.

The tkinter widgets Text is used	create a multiline txt field that the user			
to	can type in.	display a multiline text.	create a multiline ckeckbox	create a multiline button
The tkinter widgets TopLevel is				
used to create an additional				
·	frame	window	canvas	widgets
Which of the following widgets				
is used to create single line				
entry?	Button	Checkbox	Lavel	List
Which of the following widgets				
is used to create a single line text				
field for input?	Button	Entry	Lavel	Input
What is the default color of				
window background?	white	black	llight blue	red
Which of the following Python				
method is used to set the				
backgroun color of windows?				
	setColour()	SetColour()	SetColor()	setColor()
Which of following method is				
used to set the size of window in				
Python?	setHeight()	setLength()	setSize()	SetSize()
Which of the following method				
used to create the title of widows				
in Python?	setHeader()	Header()	setTitle()	Title()
Which of the followig method is				
used to change the size of the				
widows?	setResizable(True)	Resizable(True)	setResizable(False)	Resizable(True)
Which of the followig method is				
used to add a text field in the				
widows?	JoinTextField()	AddTextField()	AppendTextField()	InsertTextField()
A box in which the user can				
position the mouse cursor and				
enter a number				
or a single line of tex is				
called	Entry	Label	Button	List
The pack() method is used to	place the widgets in the parent	to compress to Labels and Buttons into single		l
·	window.	piece.	add text field in a label	add a wndow to a frame.
From which keyword we import	call	from	import	include
the tkinter in program?			*	
The essential thing to create a				
window screen using tkinter	create a button	call Tk() function	to define geometry	to create window
python is				

fg in tkinter is stands	foreground	background	forgap	Forward gap
IOr	Toteground	background	Torgup	1 of ward gap
A is a				
sequence of characters that				
defines a search pattern.	Regular Expression	Repitition	Character	Repitition Expression
Which among the following				
pattern has any five letter				
string starting with a and				
ending with s?	^as\$	^a	s\$	?as\$
Which file mode is used to				
open a file for both reading	r	w	w+	rb+
and writing in binary format?				
Which among the following will				
match this pattern ^as\$?	Alias	An abacus	abyss	Always
Which among the following will				
match this pattern [abc] ?	Hey Jude	Ac	qwert	mnop
Which among the following will				
match this pattern [0-39]?	12	abc	qwert	qwerty
specifies a set of				
	Curly brackets	Period	Question mark	Square brackets
Which among the following will				
match this pattern ^ab?	anc	abc	mna	acb
The symbol is				
used to check if a				
string ends with a certain				
character.	۸	*	\$	!
The symbol is used				
to check if a string starts				
with a certain character.	۸	*	\$	!
The				
symbol matches zero or				
more occurrences of the				
pattern left to it.	۸	*	\$	!

All python modules are				
installed using its own built-in				
command	tip	rip	pip	zip
The default user name to				
connect with MySQl in				
windows is	time	welcome	black turn	root
Consider following				
statements: 1)In the case of				
MySQl.connector database is				
optional 2)In the case of				
MySQLdb database is	Statement 1 is true, Statement 2 is		Statement 1 is	Statement 1 is
compulsory.	false	Statement 1 is true, Statement 2 is true	false,Statement 2 is false	false,Statement 2 is true
Fill the following syntax with				
appropriate word,conn=				
mysql.connector(host				
='localhost',user='root',passwo				
rd='password')	connect	disconnect	misconnect	someconnect
Themethod is used to				
disconnect connection with				
MySQL.	close()	open()	c()	cl()
is the default				
industry standard python				
package to connect with the				
MySQL server.	msql	Python-mysqldb	sqlserver	tserver
command is one				
such python command that				
fetches python packages from				
its repository and installs on				
your local system.	tip	rip	pip	zip
The default name of the				
computer to connect with				
MySQL is	host	localhost	local	term
In Uniform Resource Locator (		Located	to be transferred	Transferred
The Hypertexts are documents		Variables	Pointers	Arrays
An HTTP message is similar in		SMTP	TCP	RIP
The location of a resource on the		URL	E-mail address	ICQ
On Windows, If Python doesn'		python.msil	exe.python	msil.python
When the mail server sends ma		SMTP server	Peer	Master
is the default port of SN	25	70	75	80

SMTP utilizesTCP as the	transport	application	datalink	Network
is reserved port fo	25	70	75	80
SMTP is used to route emails b	servers	clients	customers	users
The retrieves er	receiver	transmitter	sender	source